

Multiwall

Polycarbonate Greenhouse Solutions

Apex[®] Polymer Solutions (Pty) Ltd*

€ 087 562 9800
⊕ www.apexpolymers.co.za
☑ info@apexpolymers.co.za

*Previously trading as Perspex SA

The Art of Light Management

Multiwall sheeting is a lightweight insulating glazing material manufactured from damage resistant polycarbonate. Added long-life protection provides resistance against the effects of UV weathering. Available in a range of thicknesses, structures and options for a wide range of roofing, cladding and glazing applications.









Major Benefits:

•Energy saving

- •Controlled daylight transmission
- •Optically clear
- •Excellent structural durability, virtually
- unbreakable
- •Thermally insulating
- •Damage and impact resistant
- •Lightweight and easy to handle & install
- •Weather and UV resistant
- •Environmentally friendly







Maximizing Natural Light and Thermo-insulation all year round!

MULTIWALL Polycarbonate - Greenhouse solutions

MECHANICAL AND THERMAL PROPERTIES								
Product	Structure	Thickness (mm)		Radius for Cold	U-Factor* (W/m2 x ⁰C)	Light Transmission (%)**		
				Bending Arches (m)		Bronze	Clear	lce
DOUBLE AND TRIPLE LAYERED SHEETS		6	800	0.7	3.9	42	82	32
			1300	1.05	3.6	42	80	32
		8	1500	1.4	3.3	42	80	32
		10	1700	1.75	3.0	42	79	32
		16	2700	2.8	2.3	42	72	32

| * ASTM C177 TNO | ** ASTM D1003





Maximizing Natural Light and Thermo-insulation all year round!

Available from Apex:

- 5mm, 6mm and 10mm and up is on request
- Clear, Bronze, Grey, Ice (others on request)
- Standard sheet size 5850 x 2100
- Lead time of 12-14 weeks unless a forecast is received, in which case we ensure we have your stock on hand.
- For bigger projects direct full container loads, directly to your premises





Multiwall - Polycarbonate Greenhouse Solutions





